



# RUBBER PROFILES

Catalog 2023

# Content

## Solid rubber profiles

U Channels	4
P Channels	13
Edge profiles	17
Glazing profiles	18
Finger guard profiles	23
Fender profiles	25
T Profiles	34
Special profiles	37
Hatch profiles	39
Rectangular cord	40
Round cord	41
Hose profiles	44
Transparent silicone hoses	45

## Sponge rubber profiles

Rectangular cord	46
Round cord	49
Hose profiles	50
U Channels	51
P Channels	53
Special profiles	54

## Self-adhesive weatherstrips

D Channels	55
K Channels	56
P channel / V channel / L channel	57

## Self gripping profiles

Self gripping profiles	58
Self gripping profiles with sponge rubber	61

## PVC handrail profiles

PVC handrail profiles	64
Anti-slip stair nosing	66


## TPE profiles

Custom made TPE profiles	68
--------------------------	----


Rubber profiles




VR21100410  
EPDM 70° Shore black  
roll length 200 meter




VR21100788  
EPDM 70° Shore black  
roll length 200 meter




VR21100802  
EPDM 70° Shore black  
roll length 50 meter




VR21101474  
EPDM 70° Shore black  
roll length 100 meter




VR21101203  
EPDM 70° Shore black  
roll length 50 meter




VR21100435  
EPDM 70° Shore black  
roll length 100 meter




VR21100416  
EPDM 70° Shore black  
roll length 100 meter




VR21101204  
EPDM 70° Shore black  
roll length 50 meter




VR21100421  
EPDM 70° Shore black  
roll length 100 meter




VR21101205  
EPDM 70° Shore black  
roll length 50 meter




VR21100390  
EPDM 70° Shore black  
roll length 100 meter




VR21101206  
EPDM 70° Shore black  
roll length 50 meter




VR21101446  
EPDM 70° Shore black  
roll length 50 meter




VR21101552  
EPDM 70° Shore black  
roll length 50 meter




VR21101210  
EPDM 70° Shore black  
roll length 50 meter




VR21101212  
EPDM 70° Shore black  
roll length 50 meter




VR21101220  
EPDM 70° Shore black  
roll length 50 meter




VR21101654  
EPDM 70° Shore black  
roll length 50 meter



VR21108002  
EPDM 70° Shore black  
roll length 50 meter




VR21101515  
EPDM 70° Shore black  
roll length 50 meter




21100620  
EPDM 70° Shore black  
roll length 25 meter



VR21100100  
EPDM 70° Shore black  
roll length 100 meter




VR21101080  
EPDM 70° Shore black  
roll length 100 meter



VR21100494  
EPDM 70° Shore black  
roll length 100 meter




VR21100090  
EPDM 70° Shore black  
roll length 200 meter



VR21100095  
EPDM 70° Shore black  
roll length 100 meter




VR21100036  
EPDM 70° Shore black  
roll length 50 meter




VR21100039  
EPDM 70° Shore black  
roll length 100 meter




VR21100118  
EPDM 70° Shore black  
roll length 100 meter




VR21100123  
EPDM 70° Shore black  
roll length 50 meter




VR21100212  
EPDM 70° Shore black  
roll length 100 meter



VR21100222  
EPDM 70° Shore black  
roll length 40 meter




VR21104300  
EPDM 70° Shore black  
roll length 200 meter




VR21104250  
EPDM 70° Shore black  
roll length 200 meter




VR21100027  
EPDM 70° Shore black  
roll length 100 meter




VR21100018  
EPDM 70° Shore black  
roll length 100 meter




VR21100175  
EPDM 70° Shore black  
roll length 100 meter



VR21100180  
EPDM 70° Shore black  
roll length 100 meter




VR21101201  
EPDM 70° Shore black  
roll length 100 meter




VR21104520  
EPDM 70° Shore black  
roll length 50 meter




VR21100224  
EPDM 70° Shore black  
roll length 50 meter




VR21104510  
EPDM 70° Shore black  
roll length 30 meter



VR21104550  
EPDM 70° Shore black  
roll length 50 meter




VR21101024  
EPDM 70° Shore black  
roll length 150 meter




VR21101026  
EPDM 70° Shore black  
roll length 30 meter







VR21101028  
EPDM 70° Shore black  
roll length 50 meter




VR21108004  
EPDM 70° Shore black  
roll length 50 meter




VR21104390  
EPDM 70° Shore black  
roll length 50 meter




VR21100565  
EPDM 70° Shore black  
roll length 50 meter




VR21100575  
EPDM 70° Shore black  
roll length 25 meter




VR21104385  
EPDM 70° Shore black  
roll length 50 meter




VR21100570  
EPDM 70° Shore black  
roll length 50 meter




VR21105381  
EPDM 70° Shore black  
roll length 20 meter




VR21108222  
EPDM 70° Shore black  
roll length 25 meter




VR21105511  
EPDM 70° Shore black  
roll length 25 meter




VR21607011  
TPE 60° Shore light grey  
roll length 25 meter



VR21607016  
TPE 60° Shore light grey  
roll length 30 meter



VR21607018  
TPE 60° Shore light grey  
roll length 25 meter




VR21109004  
EPDM 65° Shore black  
roll length 50 meter




VR21109008  
EPDM 65° Shore black  
roll length 25 meter




VR21109012  
CR 65° Shore black  
roll length 50 meter




VR21608020  
EPDM 70° Shore black  
roll length 25 meter




VR21109115  
EPDM 65° Shore black  
roll length 50 meter




VR21109118  
NBR 65° Shore black  
roll length 25 meter




VR21109175  
EPDM 65° Shore black  
roll length 50 meter




VR21100125  
EPDM 70° Shore black  
roll length 200 meter




VR21100233  
EPDM 70° Shore black  
roll length 50 meter




VR21109006  
EPDM 55° Shore black  
roll length 100 meter




VR21611033  
EPDM 50° Shore black  
roll length 25 meter




VR21109180  
EPDM 70° Shore black  
roll length 25 meter




VR21400526  
EPDM 70° Shore black  
roll length 50 meter




VR21400016  
EPDM 70° Shore black  
roll length 50 meter




VR21400145  
EPDM 70° Shore black  
roll length 50 meter




VR21400732  
EPDM 70° Shore black  
roll length 100 meter



VR21400815  
EPDM 70° Shore black  
roll length 50 meter




VR21400320  
EPDM 70° Shore black  
roll length 50 meter



VR21400702  
EPDM 70° Shore black  
roll length 50 meter




VR21601048  
EPDM 70° Shore black  
roll length 50 meter




VR21402120  
EPDM 70° Shore black  
roll length 50 meter




VR21401220  
EPDM 70° Shore black  
roll length 50 meter




VR21400755  
EPDM 70° Shore black  
roll length 25 meter



VR21400866  
EPDM 70° Shore black  
roll length 20 meter




VR21403512  
EPDM 70° Shore black  
roll length 25 meter



---

VR21400877  
EPDM 70° Shore black  
roll length 9 meter



---

VR21400881  
EPDM 70° Shore black  
roll length 15 meter



---


VR21400820  
Néoprène 70° Shore black  
roll length 25 meter




---

VR21400893  
EPDM 70° Shore black  
roll length 15 meter







VR21651812  
EPDM 70° Shore black  
roll length 200 meter




VR21651914  
EPDM 70° Shore black  
roll length 50 meter




VR21651515  
EPDM 70° Shore black  
roll length 50 meter




VR21652015  
EPDM 70° Shore black  
roll length 50 meter



VR21652020  
EPDM 70° Shore black  
roll length 50 meter




VR21652525  
EPDM 60° Shore black  
roll length 50 meter




VR21655020  
EPDM 70° Shore black  
roll length 25 meter




VR21655535  
EPDM 60° Shore black  
roll length 30 meter




VR21300218  
EPDM 70° Shore black  
roll length 50 meter




VR21300288  
EPDM 70° Shore black  
roll length 25 meter




VR21300412  
EPDM 70° Shore black  
roll length 30 meter




VR21300238  
EPDM 70° Shore black  
roll length 50 meter




VR21300466  
EPDM 70° Shore black  
roll length 25 meter




VR21300464  
EPDM 70° Shore black  
roll length 50 meter




VR21300211  
EPDM 70° Shore black  
roll length 50 meter




VR21300295  
EPDM 70° Shore black  
roll length 50 meter




VR21300382  
EPDM 70° Shore black  
roll length 25 meter




VR21300336  
EPDM 70° Shore black  
roll length 50 meter




VR21300337GR  
EPDM 70° Shore grey  
roll length 25 meter




VR21300327  
EPDM 70° Shore black  
roll length 50 meter




VR21302006  
EPDM 70° Shore black  
roll length 100 meter




VR21302008  
EPDM 70° Shore black  
roll length 100 meter




VR21302015W  
PVC 75° Shore white  
roll length 50 meter




VR21302016BL  
PVC 75° Shore blue  
roll length 50 meter



VR21302017C  
PVC 75° Shore cream  
roll length 50 meter



VR21302018GR  
PVC 75° Shore grey  
roll length 50 meter



VR21302019  
PVC 75° Shore black  
roll length 50 meter




VR21302050  
PVC 75° Shore black  
roll length 100 meter




VR21302052GR  
PVC 75° Shore grey  
roll length 100 meter




VR21300000  
Tool for filler sections




VR21300816  
EPDM 70° Shore black  
roll length 20 meter




VR21300859  
EPDM 70° Shore black  
roll length 25 meter




VR21300850  
EPDM 70° Shore black  
roll length 30 meter




VR21300860  
EPDM 70° Shore black  
roll length 25 meter




VR21300866  
EPDM 70° Shore black  
roll length 25 meter




VR21200024  
EPDM 70° Shore black  
roll length 100 meter




VR21201011  
EPDM 70° Shore black  
roll length 100 meter




VR21202150  
EPDM 70° Shore black  
roll length 50 meter




VR21202200  
EPDM 70° Shore black  
roll length 50 meter



VR21200022  
EPDM 70° Shore black  
roll length 50 meter




VR21200048  
EPDM 70° Shore black  
roll length 50 meter




---

VR21202300  
EPDM 70° Shore black  
roll length 50 meter




---

VR21200078  
EPDM 70° Shore black  
roll length 100 meter




---


VR21200088  
EPDM 70° Shore black  
roll length 30 meter




VR21600801  
EPDM sponge rubber 15° Shore  
with adhesive  
roll length 25 meter




VR21600802  
EPDM sponge rubber 15° Shore  
with adhesive  
roll length 25 meter




VR21600803  
EPDM sponge rubber 15° Shore  
with adhesive  
roll length 25 meter




VR21501977GR  
TPE 70° Shore grey  
roll length 30 meter




VR21501398  
EPDM 70° Shore black  
roll length 25 meter




VR21500423  
TPE 60° Shore black  
roll length 25 meter




VR21501300  
EPDM 70° Shore black  
roll length 20 meter




VR21501435  
EPDM 65° Shore black  
roll length 20 meter




VR21528736  
EPDM 40° Shore black  
roll length 20 meter




VR21600805  
EPDM 70° Shore black  
roll length 25 meter



VR21601115  
EPDM 70° Shore black  
roll length 10 meter




VR21601119  
EPDM 70° Shore black  
roll length 25 meter



VR21500240  
EPDM 70° Shore black  
roll length 12 meter







VR21514031  
EPDM 65° Shore black  
roll length 20 meter




VR21500450  
EPDM 65° Shore black  
roll length 40 meter




VR21514227  
EPDM 70° Shore black  
roll length 20 meter




VR21514020  
TPE 60° Shore black  
roll length 25 meter




VR21515025  
EPDM 65° Shore black  
roll length 20 meter




VR21517055  
EPDM 65° Shore black  
roll length 15 meter




VR21500801  
EPDM 70° Shore with adhesive  
roll length 20 meter




VR21504017  
EPDM 70° Shore black  
roll length 25 meter




VR21507400  
EPDM 70° Shore black  
roll length 10 meter




VR21504025  
EPDM 70° Shore black  
roll length 5 meter




VR21506050  
EPDM 70° Shore black  
roll length 5 meter



VR21515060  
EPDM 70° Shore black  
roll length 10 meter




VR21528070  
EPDM 70° Shore black  
roll length 10 meter




---

VR21508065  
EPDM 70° Shore black  
roll length 5 meter




21108810  
EPDM 70° Shore black  
roll length 5 meter




---

VR21518070  
EPDM 70° Shore black  
roll length 12,50 meter



---


VR21518075  
EPDM 70° Shore black  
roll length 12,50 meter



---


VR21501095  
EPDM 70° Shore black  
roll length 12,50 meter





---


VR21501195  
EPDM 70° Shore black  
roll length 5 meter




VR21604800  
EPDM 70° Shore black  
roll length 100 meter




VR21604950  
EPDM 70° Shore black  
roll length 100 meter




VR21605000  
EPDM 70° Shore black  
roll length 100 meter




VR21605005  
EPDM 70° Shore black  
roll length 50 meter




VR21605007  
EPDM 70° Shore black  
roll length 50 meter




VR21605010  
EPDM 70° Shore black  
roll length 75 meter




VR21605650  
EPDM 70° Shore black  
roll length 50 meter




VR21605700  
EPDM 70° Shore black  
roll length 25 meter




VR21605705  
EPDM 70° Shore black  
roll length 25 meter




VR21605015  
EPDM 70° Shore black  
roll length 50 meter




VR21605030  
EPDM 70° Shore black  
roll length 25 meter




VR21605277  
EPDM 70° Shore black  
roll length 25 meter




VR21605800  
EPDM 70° Shore black  
roll length 15 meter




VR21605801GR  
EPDM 70° Shore grey  
roll length 15 meter




VR21605875  
EPDM 70° Shore black  
roll length 25 meter




VR21605760  
EPDM 70° Shore black  
roll length 25 meter




VR21608050  
EPDM 70° Shore black  
roll length 25 meter




VR21608051  
EPDM 70° Shore black  
roll length 25 meter




VR21603545  
EPDM 65° Shore black  
roll length 200 meter




VR21603551  
EPDM 65° Shore black  
roll length 200 meter




VR21603557  
EPDM 65° Shore black  
roll length 100 meter



VR21603575  
EPDM 65° Shore black  
roll length 100 meter




VR21603633  
EPDM 70° Shore black  
roll length 250 meter




VR21603635  
EPDM 70° Shore black  
roll length 200 meter




VR21600040  
EPDM 70° Shore black  
roll length 30 meter




VR21601208  
EPDM 70° Shore black  
roll length 500 meter




VR21603580  
EPDM 65° Shore black  
roll length 50 meter




VR21600038  
EPDM 70° Shore black  
roll length 50 meter



VR21601328  
EPDM 70° Shore black  
roll length 50 meter




VR21609040  
EPDM 60° Shore black  
roll length 5 meter



VR21609041  
EPDM 60° Shore black  
roll length 5 meter


quality	EPDM
hardness	45° Shore
tolerances	ISO 3302 E2
colour	black

article code	A	B	C	roll length (m)
VR21582515	25	15	6	40
VR21582525	25	25	10	20
VR21583020	30	20	8	20
VR21583025	30	25	10	20
VR21583030	30	30	14	15
VR21583515	35	15	6	25
VR21583520	35	20	8	20
VR21583530	35	30	14	15
VR21583535	35	35	14	15
VR21584015	40	15	6	20
VR21584020	40	20	8	20
VR21584025	40	25	10	15
VR21584030	40	30	14	15
VR21584040	40	40	18	15
VR21584520	45	20	8	15
VR21585020	50	20	8	15
VR21585030	50	30	14	10
VR21585040	50	40	18	10
VR21585050	50	50	20	10
VR21586040	60	40	18	10
VR21587040	70	40	18	5




quality	SBR
hardness	45° Shore
tolerances	ISO 3302 E2
colour	black
execution	solid rubber skin / sponge rubber inside

article code	A	B	roll length (m)
VR21595732	57	32	10
VR21597040	70	40	10
VR21597132	71	32	10
VR21599450	94	50	10



quality	EPDM
hardness	45° Shore
tolerances	ISO 3302 E2
colour	black


article code	A	B	roll length (m)
VR21800808	8	8	100
VR21801010	10	10	100
VR21801210	12	10	50
VR21801212	12	12	50
VR21801510	15	10	50
VR21801515	15	15	50
VR21802012	20	12	50
VR21802020	20	20	50
VR21802520	25	20	25
VR21802525	25	25	25
VR21803015	30	15	25





quality	CR (néoprène)
hardness	60° Shore
tolerances	ISO 3302 E2
colour	black


article code	diameter (D)	roll length (m)
VR21730300	3	200
VR21730400	4	100
VR21730500	5	100
VR21730600	6	100
VR21730700	7	100
VR21730800	8	100
VR21730900	9	100
VR21731000	10	100
VR21731200	12	50
VR21731300	13	50
VR21731500	15	50
VR21732000	20	20
VR21732500	25	25
VR21733000	30	30
VR21733200	32	15
VR21733500	35	15
VR21734000	40	10
VR21734500	45	10
VR21735000	50	10



quality	NBR (nitrile)
hardness	70° Shore
tolerances	ISO 3302 E2
colour	black


NBR (nitrile)  
70° Shore  
ISO 3302 E2  
black

article code	diameter (D)	roll length (m)
VR21710300	3	200
VR21710400	4	200
VR21710500	5	100
VR21710600	6	100
VR21710700	7	100
VR21710800	8	100
VR21710900	9	100
VR21711000	10	100
VR21711100	11	100
VR21711200	12	50
VR21711300	13	50
VR21711400	14	50
VR21711500	15	20
VR21711600	16	20
VR21711700	17	20
VR21711800	18	20
VR21712000	20	20
VR21712200	22	20
VR21712500	25	20
VR21712800	28	20
VR21713000	30	20
VR21713500	35	10
VR21714000	40	10




quality	EPDM
hardness	70° Shore
tolerances	ISO 3302 E2
colour	black

article code	diameter (D)	roll length (m)
VR21720200	2	200
VR21720300	3	200
VR21720400	4	200
VR21720500	5	100
VR21720600	6	100
VR21720700	7	100
VR21720800	8	100
VR21720900	9	100
VR21721000	10	100
VR21721100	11	100
VR21721200	12	100
VR21721300	13	50
VR21721400	14	50
VR21721500	15	20
VR21721600	16	20
VR21721800	18	20
VR21722000	20	20
VR21722500	25	20
VR21723000	30	20




quality	VITON
hardness	75° Shore
tolerances	ISO 3302 E2
temperature	-40°C tot +220°C
colour	black

article code	diameter (D)	roll length (m)
VR21760350	3,5	25
VR21760500	5	25
VR21760800	8	25
VR21761000	10	25



quality	EPDM
hardness	70° Shore
tolerances	ISO 3302 E2
colour	black

article code	A	B	roll length (m)
VR21920407	4	7	200
VR21920408	4,2	8,5	200
VR21920409	4,7	9	100
VR21920509	5	9	200
VR21920510	5	10	100
VR21920608	6,8	10	150
VR21920610	6,5	10,5	100
VR21920913	9,5	13	100
VR21921030	10	30	20
VR21921425	14	25	25
VR21922023	20	23	50
VR21922025	20	25	25
VR21922028	20	28	50
VR21922530	25	30	25
VR21922731	27	31	20
VR21923034	30	34	40
VR21923040	30	40	25
VR21923050	30	50	25
VR21924854	48	54	20




quality	silicone
hardness	60° Shore
tolerances	ISO 3302 E2
temperature	-40°C tot +200°C
colour	transparent

article code	A	B	roll length (m)
VR98000204	2	4	50
VR98000305	3	5	50
VR98000306	3	6	50
VR98000307	3	7	50
VR98000406	4	6	50
VR98000407	4	7	50
VR98000408	4	8	50
VR98000410	4	10	50
VR98000507	5	7	50
VR98000508	5	8	50
VR98000509	5	9	50
VR98000510	5	10	50
VR98000608	6	8	50
VR98000609	6	9	50
VR98000610	6	10	50
VR98000611	6	11	50
VR98000612	6	12	50
VR98000710	7	10	50
VR98000711	7	11	50
VR98000713	7	13	50
VR98000812	8	12	25
VR98000814	8	14	50
VR98000816	8	16	50
VR98001014	10	14	50
VR98001015	10	15	50
VR98001016	10	16	25
VR98001018	10	18	25
VR98001023	10	23	25
VR98001216	12	16	25
VR98001217	12	17	25
VR98001218	12	18	25
VR98001222	12	22	25
VR98001521	15	21	25
VR98001824	18	24	25
VR98002027	20	27	10
VR98002535	25	35	10
VR98003040	30	40	10
VR98004050	40	50	10
VR98005060	50	60	10




quality	EPDM
hardness	15° Shore
tolerances	ISO 3302 E3
colour	black

article code	A	B	roll length (m)
VR22800808	8	8	100
VR22801010	10	10	50
VR22801505	15	5	50
VR22801510	15	10	50
VR22801515	15	15	50
VR22802005	20	5	25
VR22802010	20	10	25
VR22802015	20	15	25
VR22802020	20	20	25
VR22802505	25	5	100
VR22802508	25	8	50
VR22802510	25	10	25
VR22802515	25	15	25
VR22802520	25	20	25
VR22802525	25	25	25
VR22803005	30	5	50
VR22803008	30	8	50
VR22803010	30	10	25
VR22803015	30	15	25
VR22803020	30	20	25
VR22803025	30	25	25
VR22803030	30	30	25




quality	EPDM
hardness	15° Shore
tolerances	ISO 3302 E3
colour	black

article code	A	B	roll length (m)
VR22803510	35	10	25
VR22803515	35	15	25
VR22803520	35	20	25
VR22803525	35	25	25
VR22803530	35	30	15
VR22803535	35	35	15
VR22804005	40	5	50
VR22804010	40	10	25
VR22804015	40	15	25
VR22804020	40	20	25
VR22804025	40	25	25
VR22804030	40	30	15
VR22804035	40	35	15
VR22804040	40	40	10
VR22804520	45	20	25
VR22804525	45	25	15
VR22804530	45	30	15
VR22805005	50	5	50
VR22805010	50	10	25
VR22805015	50	15	25
VR22805020	50	20	25
VR22805025	50	25	15
VR22805030	50	30	15
VR22805050	50	50	10
VR22805732	57	32	10
VR22806015	60	15	15
VR22807040	70	40	10
VR22808040	80	40	10
VR22808080	80	80	10
VR22809450	94	50	10
VR22810050	100	50	10



quality	EPDM
hardness	25° Shore
tolerances	ISO 3302 E3
colour	black


article code	A	B	roll length (m)
VR22901212	12	12	50
VR22901510	15	10	50
VR22902010	20	10	50
VR22902020	20	20	25
VR22902525	25	25	25
VR22903010	30	10	25
VR22903020	30	20	25
VR22903030	30	30	25
VR22903525	35	25	25
VR22903530	35	30	25
VR22904010	40	10	25
VR22904015	40	15	25
VR22904020	40	20	25
VR22904025	40	25	25
VR22904030	40	30	25
VR22904520	45	20	25
VR22905020	50	20	25
VR22905030	50	30	15
VR22905040	50	40	10
VR22905050	50	50	10
VR22906020	60	20	25
VR22906040	60	40	10







quality	EPDM
hardness	15° Shore A
tolerances	ISO 3302 E3
colour	black

article code	diameter (D)	roll length (m)
VR22700003	3	200
VR22700004	4	200
VR22700005	5	200
VR22700006	6	100
VR22700007	7	100
VR22700008	8	100
VR22700009	9	100
VR22700010	10	100
VR22700012	12	100
VR22700013	13	100
VR22700014	14	100
VR22700015	15	50
VR22700018	18	25
VR22700020	20	25
VR22700025	25	25
VR22700030	30	20
VR22700040	40	20
VR22700050	50	10
VR22700060	60	10
VR22700070	70	10







VR22201018  
EPDM 15° Shore black  
roll length 50 meter




VR22200822  
EPDM 15° Shore black  
roll length 25 meter




VR22200524  
EPDM 15° Shore black  
roll length 25 meter




VR22201626  
EPDM 15° Shore black  
roll length 50 meter




VR22202535  
EPDM 15° Shore black  
roll length 25 meter




VR22201842  
EPDM 15° Shore black  
roll length 10 meter




VR22205020  
EPDM 15° Shore black  
roll length 15 meter




VR22500828  
EPDM 15° Shore black  
roll length 50 meter




VR22500752  
EPDM 15° Shore black  
roll length 25 meter




VR22100130  
CR 15° Shore black  
roll length 50 meter




VR22100140  
EPDM 15° Shore black  
roll length 50 meter




VR22100150  
EPDM 15° Shore black  
roll length 50 meter



VR22101108  
EPDM 15° Shore black  
roll length 100 meter




VR22100110  
EPDM 15° Shore black  
roll length 100 meter




VR22100112  
EPDM 25° Shore black  
roll length 100 meter





VR22101078  
EPDM 15° Shore black  
roll length 50 meter



VR22101075  
EPDM 15° Shore black  
roll length 50 meter



VR22101083  
EPDM 15° Shore black  
roll length 100 meter




---


VR22101088  
EPDM 15° Shore black  
roll length 25 meter

---


VR22101825  
EPDM 15° Shore black  
roll length 30 meter



VR22400227  
EPDM 15° Shore black  
roll length 50 meter




VR22400247  
EPDM 15° Shore black  
roll length 50 meter




VR22400287  
EPDM 15° Shore black  
roll length 50 meter




VR22400834  
EPDM 15° Shore black  
roll length 25 meter



VR22400810  
EPDM 15° Shore black  
roll length 50 meter




VR22400916  
EPDM 15° Shore black  
roll length 25 meter




VR22400925  
EPDM 15° Shore black  
roll length 25 meter




VR22400223  
EPDM 15° Shore black  
roll length 50 meter




VR22501200  
EPDM 15° Shore black  
roll length 25 meter




VR22500084  
EPDM 15° Shore black  
roll length 30 meter




VR22500082  
EPDM 15° Shore black  
roll length 25 meter




VR22500640  
EPDM 15° Shore black  
roll length 50 meter




22814520  
EPDM 15° Shore black  
roll length 25 meter




VR22501125  
EPDM 15° Shore black  
roll length 25 meter



VR22501303  
EPDM 15° Shore black  
roll length 25 meter



VR22500772  
EPDM 15° Shore black  
roll length 25 meter



VR22501170  
EPDM 15° Shore black  
roll length 10 meter

D Channels

quality	EPDM
hardness shore 00	ca. 45
hardness shore A	ca. 10
temperature	-50°C tot +90°C
density	350kg/m <sup>3</sup> (+/-50)
cell structure	closed
min. compression	25%
execution	1 side with adhesive
colour	black, grey, brown, white



article code	width (mm)	height (mm)	colour	roll length (m)
VR26801206	8	6	black	100
VR26801207GR	9	6	grey	100
VR26801209GR	9,5	9,5	grey	50
VR26801210	12	10	black	50
VR26801210GR	12	10	grey	50
VR26801225	18	10	black	80
VR22502020	20	20	black	25
VR26801232	21	15	black	50
VR26801232BR	21	15	brown	50
VR26801232GR	21	15	grey	50
VR26801232W	21	15	white	50

K Channel

quality	EPDM
hardness shore 00	ca. 45
hardness shore A	ca. 10
temperature	-50°C tot +90°C
density	350kg/m <sup>3</sup> (+/-50)
cell structure	closed
min. compression	25%
execution	1 side with adhesive
colour	black



article code	width (mm)	height (mm)	roll length (m)
VR26801415	8	2	225
VR26801422	9	4	125
VR26801428	10	5	100
VR26801432	10	6	75
VR26801440	15	3	100
VR26801448	15	8	50
VR26801458	20	4	50



P channel / V channel / L channel


quality	EPDM
hardness shore 00	ca. 45
hardness shore A	ca. 10
temperature	-50°C tot +90°C
density	350kg/m <sup>3</sup> (+/-50)
cell structure	closed
min. compression	25%
execution	1 side with adhesive
colour	black, brown, white



article code	width (mm)	height (mm)	colour	roll length (m)
VR26801010	9	5,5	black	100 (2x50)
VR26801010BR	9	5,5	brown	100 (2x50)
VR26801010W	9	5,5	white	100 (2x50)
VR26801502	9	6	black	100 (2x50)
VR26801504	10	5	black	100 (2x50)


clamping range 0,5 - 2 mm

article code	roll length (m)	colour
VR24100128	100	black / white / red / silver grey / dark grey / light grey / blue / dark green / light green / yellow




clamping range 1 - 2,5 mm

article code	roll length (m)	colour
VR24100215	50	black / white / red / silver grey / dark grey / light grey / blue / dark green / light green / yellow




clamping range 1 - 4 mm

article code	roll length (m)	colour
VR24100231	50	black / white / red / silver grey / dark grey / light grey / blue / dark green / light green / yellow




clamping range 4 - 5 mm

article code	roll length (m)	colour
VR24100255	50	black / white / red / silver grey / dark grey / light grey / blue / dark green / light green / yellow




clamping range 6 - 8 mm

article code	roll length (m)	colour
VR24100263	50	black / white / red / silver grey / dark grey / light grey / blue / dark green / light green / yellow




clamping range 8 - 10 mm

article code	roll length (m)	colour
VR24100285	50	black / white / red / silver grey / dark grey / light grey / blue / dark green / light green / yellow




clamping range 11 - 12 mm

article code	roll length (m)	colour
VR24100290	50	black / white / red / silver grey / dark grey / light grey / blue / dark green / light green / yellow




clamping range 17 - 20 mm

article code	colour	roll length (m)
VR24100310	black	25




clamping range 20 - 23 mm

article code	colour	roll length (m)
VR24100322	black	25




clamping range 25 - 27 mm


article code	colour	roll length (m)
VR24100332	black	25




clamping range 28 - 32 mm

article code	colour	roll length (m)
VR24100345	black	25






VR24500100  
pvc + sponge rubber  
clamping range 1,5-3 mm  
roll length 50 meter




VR24500135  
pvc + sponge rubber  
clamping range 1-2 mm  
roll length 50 meter




VR24500140  
pvc + sponge rubber  
clamping range 1-3 mm  
roll length 50 meter




VR24500155  
pvc + sponge rubber  
clamping range 1,5-3 mm  
roll length 25 meter




VR24500115  
pvc + sponge rubber  
clamping range 1,5-3 mm  
roll length 25 meter




VR24500120  
pvc + sponge rubber  
clamping range 1,5-4 mm  
roll length 25 meter




VR24500102  
pvc + sponge rubber  
clamping range 1,5-4 mm  
roll length 50 meter




VR24500116  
pvc + solid rubber  
clamping range 1,5-4 mm  
roll length 35 meter




VR24500119  
pvc + sponge rubber  
clamping range 1-4 mm  
roll length 25 meter




VR24500812  
pvc + sponge rubber  
clamping range 9-10,5 mm  
roll length 50 meter




VR24500315  
EPDM solid rubber  
clamping range 1,5-4 mm  
roll length 30 meter




VR24500817  
pvc + sponge rubber  
clamping range 1,5-3 mm  
roll length 50 meter




VR24500820  
pvc + sponge rubber  
clamping range 1-3 mm  
roll length 25 meter



VR24500830  
pvc + sponge rubber  
clamping range 1-2 mm  
roll length 50 meter




VR24500865  
pvc + sponge rubber  
clamping range 1-2,5 mm  
roll length 50 meter




VR24500875  
EPDM solid rubber  
clamping range 1,5-4 mm  
roll length 30 meter




VR24500876  
pvc + sponge rubber  
clamping range 1-3 mm  
roll length 25 meter




VR24500890  
pvc + sponge rubber  
clamping range 1,5-4 mm  
roll length 25 meter



VR24500920  
pvc + sponge rubber  
clamping range 1,5-4 mm  
roll length 30 meter



VR24500910  
pvc + sponge rubber  
clamping range 1,5-5 mm  
roll length 25 meter



VR24500877  
pvc + sponge rubber  
clamping range 1-2 mm  
roll length 25 meter


quality	PVC
dimension	30 x 8 mm

article code	colour	roll length (m)
VR25203801	black	25
VR25203804	dark grey	25
VR25203808	white	25
VR25203811	metallic grey	25



quality	PVC
dimension	40 x 8 mm

article code	colour	roll length (m)
VR25204801	black	25
VR25204802	charcoal grey	25
VR25204803	light grey	25
VR25204804	dark grey	25
VR25204808	white	25
VR25204811	metallic grey	25





quality	PVC
dimension	50 x 8 mm

article code	colour	roll length (m)
VR25205801	black	25
VR25205803	light grey	25
VR25205804	dark grey	25






quality	PVC
dimension	40 x 8 mm

article code	colour
VR25204801E	black
VR25204802E	charcoal grey
VR25204803E	light grey
VR25204804E	dark grey
VR25204808E	white
VR25204811E	metallic grey



quality	PVC
hardness	70° Shore A
tolerances	black

article code	colour	length (mm)
VR25301010	black	1500
VR25301012	dark grey	1500
VR25301014	light grey	1500



VR25301110  
PVC 70° Shore A black  
length 1500 mm

VR25301210  
PVC 70° Shore A black  
length 1500 mm



Custom made TPE profiles

**Custom made profiles**

VR Trade has an extensive range of standard profiles which we supply from stock. We are also specialists in the development, manufacture and supply of profiles made from TPE. We can produce a wide range of variety, shape and sizes that can meet the diverse needs of most applications.

**TPE the best alternative to rubber and plastic**

Elastic, pliable and flexible - these qualities are typical for rubber, a universally recognized material that takes many forms in our daily lives. It grows increasingly difficult, to determine the right material for a given product, water hoses, sealing rings, window seals or even basic door stops all feel like rubber, but they are often made from thermoplastic elastomers (TPE). The similarity to rubber is striking.

Rubber is a product made from natural or synthetic polymers. These polymers are a viscoplastic material which, when combined with crosslinking chemicals such as sulphur or peroxide and heated, can become elastic rubber. During this process of "vulcanisation", the thread-like molecules of the polymer become interlinked through

the creation of chemical bonds. It is this interlinking which gives the product its elasticity. The vulcanisation process can only be reversed by destroying the substance with heat.

Thermoplastic elastomers (TPE) behave much differently. As the name implies, these substances become plastic when heated (Greek: thermos =heat), but become elastic again once they have cooled. Unlike the chemical interlinking within rubber, here the interlinking is physical. In terms of their structure and behaviour, TPE fall between plastics and elastomers. They are as workable as plastics while retaining the essential characteristics of rubber. Furthermore, TPEs are environment friendly. Unlike rubber, they can be recycled and reused.



**Technical data TPE**

Property	Unit	Standard	Value	Value
hardness	SHORE A	ASTM D 2240	45	65
density	g/cm <sup>3</sup>	ASTM D 792	1.17	1.18
tensile strength at break	MPa	ASTM D 412	4	7
mod. of elasticity %100	MPa		1.10	2.10
mod. of elasticity %300	MPa		2.10	3.20
elongation at break	%		800	750
compression Set	% @ 23°C 22 h	ASTM D 395	14	18
	% @ 70°C 22 h		48	44
	% @ 100°C 22 h		65	74
tear Resistance	N/mm	ASTM D 624	22	36
ozone Resistance	Stressed	ASTM D 1149	No Cracks	
bondable to			PP, EVA, PE	

**Applications**

TPE profiles are used in a variety of applications in the automotive, construction, electrical, appliance, packaging and industrial markets.

**Examples of applications**

- Glass window profiles
- Door seals
- Dilatation seals
- Clamp seals
- Solar module seals
- Bumper profiles
- Boat fender profiles



**Features**

- Hardness 45° or 65° Shore A
- Operating temperature -30°C to +110°C
- Standard colors Black, Grey, White
- RAL colors on request with minimal batch quantity
- Dimensions 5-55mm

**Advantages of TPE profiles**

- Low tool cost
- Short delivery time
- Can be produced in small and large series
- No technical drawing needed
- Available in various colours
- Odourless
- Non-toxic and environment friendly
- Recyclable

**Rubber properties compared**

Quality	NR	SBR	EPDM	TPE	NBR
Tear Strength N/mm <sup>2</sup>	30	25	20	20	25
Elongation %	800	450	450	750	500
Temperature oC	-50/+80	-40/+100	-40/+150	-30/+110	-35/+120
Abrasion resistance	++	++	+	o	+
Elasticity	++	+	+	+	+
Bending break resistance	+	+	++	o	o
Aging, oxidation	o	+	++	++	o
Weather and ozon resistance	-	-	++	++	o
Steam influence	o	+	++	+	+
Oil and grease resistance	-	-	-	o	++
Benzin resistance	-	-	-	-	++

++: very good, +: good, o: satisfactory, -: not recommended



For advice and questions, please contact our sales department at [info@vrtrade.com](mailto:info@vrtrade.com) or by telephone on +31 (0) 26 317 9988.





**VRTRADE**  
INDUSTRIAL RUBBER PRODUCTS

VR Trade Head Office | Geysendorfferweg 42, 3088 GK Rotterdam | The Netherlands  
T +31 (0)26 317 9988 | [info@vrtrade.com](mailto:info@vrtrade.com) | [www.vrtrade.com](http://www.vrtrade.com)